


Dr. Rajesh Verma, Assistant  
Professor and Head, U.C.  
Department of Zoology, D.K.  
College Durgam (Budaun). Notes  
for B.Sc part 3<sup>rd</sup>, paper V.

Q:- Write Notes on Histology  
of Pituitary?

Ans:- Pituitary gland :- In vertebrate  
anatomy, the pituitary gland,  
or hypophysis, is an endocrine  
gland, about the size of  
a pea and weighing 0.5  
grams (0.018 oz) in humans.  
It is a protrusion off  
the bottom of the hypothalamus  
at the base of the  
brain. The hypophysis rests upon  
the hypophysial fossa of the  
sphenoid bone in the center  
of the middle cranial fossa  
and is surrounded by a  
small bony cavity (sella turcica)  
covered by a dural fold  
(diaphragma sellae). The anterior  
pituitary (or adenohypophysis)  
is a lobe of the

pituitary gland that regulates several physiological processes (including stress, growth, reproduction, and lactation). The intermediate lobe synthesizes and secretes melanocyte-stimulating hormone. The posterior pituitary (or neurohypophysis) is a lobe of the gland that is functionally connected to the hypothalamus by the median eminence via a small tube called the pituitary stalk (also called the infundibular stalk or the infundibulum).



study time

Page no. :- 03

MON	TUE	WED	THR	FRI	SAT	SUN
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Details

Precursor

neural and oral ectoderm, including Rathke's pouch

Artery

superior hypophysial artery, infundibular artery, prechiasmatal artery, inferior hypophysial artery, capsular artery, artery of the inferior cavernous sinus

Identifiers

Latin

hypophysis, glandula pituitaria

MeSH

D010902

Neurolex ID

brainlex - 1353

TA

A11.1.00.001

FMA

13889

Structure :-

The pituitary gland, in humans, is a pea-sized gland that sits in a protective bony enclosure called the sella turcica. It is composed of three lobes: anterior, intermediate, and posterior. In many animals, these three lobes are distinct. The intermediate is avascular and almost absent in human beings. The intermediate lobe is present in many animal species, in particular in rodents, mice and rats, that have been used extensively to study pituitary development and function. In all animals, the fleshy, glandular anterior pituitary is distinct from the neural composition of the posterior pituitary, which is an extension of the hypothalamus.

### Anterior :-

The anterior pituitary arises from an invagination of the oral ectoderm and forms Rathke's pouch. This contrasts with the posterior pituitary, which originates from neuroectoderm.

Hormones :-

Hormones secreted from the pituitary gland help control the following body processes:

- Growth (GH)
- Blood pressure
- Some aspects of pregnancy and childbirth including stimulation of uterine contractions
- Breast milk production
- Sex organ functions in both sexes
- Thyroid gland function
- Metabolic conversion of food into energy
- Water and osmolarity regulation in the body
- Water balance via the control of reabsorption of water by the kidneys.
- Temperature regulation
- Pain relief

see also :-

- Estrogen
- Head and neck anatomy
- Melanotroph